



WEB APPLICATION FIREWALL

FortiWeb RESTful API Reference

VERSION 5.5

FORTINET DOCUMENT LIBRARY

<http://docs.fortinet.com>

FORTINET VIDEO GUIDE

<http://video.fortinet.com>

FORTINET BLOG

<https://blog.fortinet.com>

CUSTOMER SERVICE & SUPPORT

<https://support.fortinet.com>

<http://cookbook.fortinet.com/how-to-work-with-fortinet-support/>

FORTIGATE COOKBOOK

<http://cookbook.fortinet.com>

FORTINET TRAINING SERVICES

<http://www.fortinet.com/training>

FORTIGUARD CENTER

<http://www.fortiguard.com>

END USER LICENSE AGREEMENT

<http://www.fortinet.com/doc/legal/EULA.pdf>

FEEDBACK

Email: techdocs@fortinet.com



December 14, 2016

FortiWeb 5.5 RESTful API Reference

2nd Edition

TABLE OF CONTENTS

FortiWeb RESTful API overview.....	4
REST principles.....	4
Response format.....	4
Accessing the RESTful API.....	4
Supported API methods.....	4
URL format.....	8
Authentication.....	9
Specifying resources.....	9
Examples of changing settings.....	36
Retrieve all static routes (GET).....	36
Create a new static route (POST).....	36
Update an existing static route (PUT).....	37
Delete an existing static route (DELETE).....	38
Request failures.....	38
Unsupported method.....	38
Other failure.....	39

FortiWeb RESTful API overview

FortiWeb provides an API that uses Representational State Transfer design principles (RESTful API) to access and modify the settings of individual FortiWeb appliances.

REST principles

Programs communicate with the RESTful API over HTTPS, the same protocol that your web browser uses to interact securely with web pages.

The RESTful API is based on interactions with a web page. Data is treated like a static web page.

- Add data by POSTing a web page
- Fetch data by GETing a web page
- Update data by PUTing a web page
- Delete data by DELETEing a web page

After it receives the request, the FortiWeb API returns an HTTP response code. These codes are discussed later in this reference.

Response format

The FortiWeb RESTful API provides responses in JSON format.

Accessing the RESTful API

You can access the FortiWeb API from most browsers using the GET method.

However, many browsers require add-ons for extended operations such as PUT. You can make more complicated, scripted queries using utilities such as cURL. In addition, most scripting languages such as Perl or Python have built-in library calls that can interact with a RESTful API.

The examples in this document make requests using cURL. cURL is more flexible than using a browser alone, works across platforms, and most scripts can call it. It is not as flexible as native scripting languages, but it is useful for illustrating how the API functions.

Supported API methods

The FortiWeb RESTful API supports the following methods.

Method	URI	Operation description	Success response code
GET	/<resource_name>/	Retrieves all records	200 OK 401 Unauthorized 404 Not Found 405 Not Allowed 500 Internal Server Error
	/<resource_name>/<resource_id>/<sub_resource_name>	Retrieves all sub-records	200 OK 401 Unauthorized 404 Not Found 405 Not Allowed 500 Internal Server Error

Method	URI	Operation description	Success response code
POST	/<resource_name>/	Creates a new record	200 OK 401 Unauthorized 404 Not Found 405 Not Allowed 500 Internal Server Error
	/<resource_name>/<resource_id>/<sub_resource_name>	Creates a new sub-record	200 OK 401 Unauthorized 404 Not Found 405 Not Allowed 500 Internal Server Error

Method	URI	Operation description	Success response code
PUT	/<resource_name>/<resource_id>	Updates the specified record	200 OK 401 Unauthorized 404 Not Found 405 Not Allowed 500 Internal Server Error
	/<resource_name>/<resource_id>/<sub_resource_name>/<sub_resource_id>	Updates the specified sub-record	200 OK 401 Unauthorized 404 Not Found 405 Not Allowed 500 Internal Server Error

Method	URI	Operation description	Success response code
DELETE	/<resource_name>/<resource_id>	Deletes the specified record	200 OK 401 Unauthorized 404 Not Found 405 Not Allowed 500 Internal Server Error
	/<resource_name>/<resource_id>/<sub_resource_name>/<sub_resource_id>	Deletes the specified sub-record	200 OK 401 Unauthorized 404 Not Found 405 Not Allowed 500 Internal Server Error

URL format

The URLs that you use to access gateways and gateway managers use the following format:

```
https://<server_name>/api/<api_version>/<resource_name>/[<resource_id>]/[<sub_resource_name>]/[<sub_resource_id>]
```

where:

- <server_name> is the name or IP address of a FortiWeb with a port value of 90.
- <api_version> is the API version (for example, v1.0)
- <resource_name> is the name of the FortiWeb setting
- <resource_id> is a unique identifier for the FortiWeb setting (for example, an index number or the name of a virtual server or policy)
- <sub_resource_name> is the name of the FortiWeb sub-setting
- <resource_id> is a unique identifier for a FortiWeb sub-setting

For more information on the <resource_name> and <sub_resource_name> values, see [Specifying resources on page 9](#).

Authentication

The RESTful API HTTPS requests require an authorization value. Use the username and password encoded using base 64.

For example, the username `admin` and an empty password (the default):

```
Authorization: YWRtaW46
```

You can use the API to configure user passwords on a FortiWeb.

Specifying resources

Currently, you can use the API to access the following resources.

Resource name	Sub-resource name	Supported methods	Web UI location
System/Status/Status	—	GET	System > Status > Status
System/Status/PolicyStats?policy=<policy_name>	—	GET	System > Status > Policy Status
System/Status/SystemResources	—	GET	System > Status > Status
System/Status/StatusOperation	—	GET	System > Status > Status
System/Status/StatusOperationReboot	—	POST	System > Status > Status
System/Status/StatusOperationReset	—	POST	System > Status > Status
System/Status/StatusOperationShutdown	—	POST	System > Status > Status
System/Status/AdministrativeDomain	—	POST	System > Status > Status
System/Status/VMLicenseUpload	—	POST	System > Status > Status
System/Status/VMLicense	—	POST	System > Status > Status

Resource name	Sub-resource name	Supported methods	Web UI location
System/Status/HostName	—	GET, POST	System > Status > Status
System/Network/Interface	—	GET, POST, PUT, DELETE	System > Network > Interface
System/Network/InterfaceType	—	GET	System > Network > Interface
System/Network/InterfaceList	—	GET	System > Network > Interface
System/Network/SnmpInterfaceList	—	GET	System > Network > Interface
System/Network/StaticRoute	—	GET, POST, PUT, DELETE	System > Network > Static Route
System/Network/RoutePortList	—	GET	System > Network > Static Route
System/Network/PolicyRoute	—	GET, POST, PUT, DELETE	System > Network > Policy Route
System/Network/DNS	—	GET, PUT	System > Network > DNS
System/Network/FailOpen	—	GET, POST, PUT	
System/Network/Vzone	—	GET, POST, PUT, DELETE	System > Network > V-zone
System/Network/VzoneInterface	—	GET	System > Network > V-zone
System/Config/Config-Synchronization	—	GET, PUT	System > Config > Config > Synchronization
System/Config/HA-Config	—	GET, PUT	System > Config > HA > Config

Resource name	Sub-resource name	Supported methods	Web UI location
System/Config/ ConfigSynchronizationTest	—	GET	System > Config > Config- Synchronization
System/Config/SNMP	—	GET, PUT	System > Config > SNMP
System/Config/ SnmpNewSnmpCommunity	—	GET, POST, PUT, DELETE	System > Config > SNMP
System/Config/Operation	—	GET, PUT	System > Config > Operation
System/Config/ OperationVirtualServer	—	GET	System > Config > Operation
System/Config/ OperationServerPolicy	—	GET	System > Config > Operation
System/Config/Advanced	—	GET, PUT	System > Config > Advanced
System/Config/FortiGuard	—	GET, PUT	System > Config > FortiGuard
System/Config/ FortiGuardUpdateNow	—	POST	System > Config > FortiGuard
System/Config/ SignatureUpdate	—	GET, POST	System > Config > FortiGuard
System/Config/ ImportSignatureUpdate	—	POST	System > Config > FortiGuard
System/Config/ ReplacementMessage	—	GET, POST, PUT	System > Config > Replacement Message
System/Config/ ReplaceMessageImage	—	GET	System > Config > Replacement Message
System/Config/ManageImages	—	GET	System > Config > Replacement Message

Resource name	Sub-resource name	Supported methods	Web UI location
System/Config/ReplacementImage	—	POST, PUT	System > Config > Replacement Message
System/Config/HttpResponseCode	—	POST, PUT	System > Config > Replacement Message
System/Config/ReplaceMessageViewInitParams	—	GET	System > Config > Replacement Message
System/Config/FortiSandbox	—	GET, POST	System > Config > FortiSandbox
System/Config/FortiSandboxTest	—	GET	System > Config > FortiSandbox
System/Admin/Administrators	—	GET, POST, PUT, DELETE	System > Admin > Administrators
System/Admin/AccessProfile	—	GET, POST, PUT, DELETE	System > Admin > Access Profile
System/Admin/AccessProfileList	—	GET	System > Admin > Access Profile
System/Admin/Settings	—	GET, PUT	System > Admin > Settings
System/Admin/AdminDomainCondition	—	GET	
System/Certificates/Local	—	GET, POST, PUT, DELETE	System > Certificates > Local
System/Certificates/LocalList	—	GET	System > Certificates > Local
System/Certificates/LocalDownload	—	GET (Download)	System > Certificates > Local
System/Certificates/LocalOK	—	GET	System > Certificates > Local

Resource name	Sub-resource name	Supported methods	Web UI location
System/Certificates/SNI	—	GET, POST, PUT, DELETE	System > Certificates > SNI
System/Certificates/CA	—	GET, POST, PUT, DELETE	System > Certificates > CA
System/Certificates/CAList	—	GET	System > Certificates > CA
System/Certificates/CAGroup	—	GET, POST, PUT, DELETE	System > Certificates > CA Group
System/Certificates/CAGroupList	—	GET, POST, PUT, DELETE	System > Certificates > CA Group
—	CAGroupEditCA GroupMember	GET, POST, PUT, DELETE	System > Certificates > CA Group
System/Certificates/IntermediateCA	—	GET, POST, PUT, DELETE	System > Certificates > Intermediate CA
System/Certificates/IntermediateCAList	—	GET	System > Certificates > Intermediate CA
System/Certificates/IntermediateCAGroup	—	GET, POST, PUT, DELETE	System > Certificates > Intermediate CA Group
—	IntermediateCAGroup EditCAGroupMember	GET, POST, PUT, DELETE	System > Certificates > Intermediate CA Group
System/Certificates/IntermediateCAGroupList	—	GET	System > Certificates > Intermediate CA Group

Resource name	Sub-resource name	Supported methods	Web UI location
System/Certificates/CRL	—	GET, POST, PUT, DELETE	System > Certificates > CRL
System/Certificates/CRLList	—	GET	System > Certificates > CRL
System/Certificates/CertificateVerify	—	GET, POST, PUT, DELETE	System > Certificates > Certificate Verify
System/Certificates/CertVerifyList	—	GET	System > Certificates > Certificate Verify
System/Certificates/URLBasedClientCertificateGroup	—	GET	System > Certificates > URL Certificate
System/Certificates/CountryRegion	—	GET	
System/Maintenance/BackupRestore	—	GET, PUT	System > Maintenance > Backup & Restore
System/Maintenance/RestoreConfiguration	—	POST	System > Maintenance > Backup & Restore
System/Maintenance/RestoreConfigurationChecker	—	POST	System > Maintenance > Backup & Restore
System/Maintenance/BackupConfiguration	—	POST	System > Maintenance > Backup & Restore
System/Maintenance/FirmwareUpgradeDowngrade	—	POST	System > Maintenance > Backup & Restore
System/Maintenance/BackupRestoreFirmwareBoot	—	POST	System > Maintenance > Backup & Restore

Resource name	Sub-resource name	Supported methods	Web UI location
System/Maintenance/ RestoreConfigurationChecker	—	POST	System > Maintenance > Backup & Restore
System/Maintenance/ UploadFirmware	—	POST	System > Maintenance > Backup & Restore
System/Maintenance/ DataAnalytics	—	POST	System > Maintenance > Backup & Restore
System/Maintenance/ FTPBackup	—	GET, POST, PUT, DELETE	System > Maintenance > FTP Backup
System/Maintenance/ SystemTime	—	GET, PUT	System > Maintenance > System Time
System/Maintenance/ TimeZone	—	GET	System > Maintenance > System Time
System/Maintenance/ ConsoleLog	—	GET	System > Maintenance > Console Log
User/UserGroup/ UserGroup	—	GET, POST, PUT, DELETE	User > User Group > User Group
—	UserGroupEditUser GroupMember	GET, POST, PUT, DELETE	User > User Group > User Group
User/UserGroup/ UserGroupBasic	—	GET	User > User Group > User Group
User/UserGroup/ UserGroupDigest	—	GET	User > User Group > User Group
User/UserGroup/ UserGroupNtlm	—	GET	User > User Group > User Group

Resource name	Sub-resource name	Supported methods	Web UI location
User/UserGroup/ AdminGroup	—	GET, POST, PUT, DELETE	User > User Group > Admin Group
—	AdminGroupEditUser GroupMember	GET, POST, PUT, DELETE	User > User Group > Admin Group
User/UserGroup/ AdminUserGroupList	—	GET	User > User Group > Admin Group
User/LocalUser/LocalUser	—	GET, POST, PUT, DELETE	User > Local User > Local User
User/LocalUser/ LocalUserList	—	GET	User > Local User > Local User
User/RemoteServer/ LDAPServer	—	GET, POST, PUT, DELETE	User > Remote Server > LDAP Server
User/RemoteServer/ LDAPServerList	—	GET	User > Remote Server > LDAP Server
User/RemoteServer/ LdapServerTest	—	POST	User > Remote Server > LDAP Server
User/RemoteServer/ RADIUSServer	—	GET, POST, PUT, DELETE	User > Remote Server > Radius Server
User/RemoteServer/ RADIUSServerList	—	GET	User > Remote Server > Radius Server
User/RemoteServer/ RADIUSServerTest	—	POST	User > Remote Server > Radius Server
User/RemoteServer/ KdcServer	—	GET, POST, PUT, DELETE	User > Remote Server > KDC Server

Resource name	Sub-resource name	Supported methods	Web UI location
User/RemoteServer/ NTLMServer	—	GET, POST, PUT, DELETE	User > Remote Server > NTLM Server
User/RemoteServer/ NTLMServerList	—	GET	User > Remote Server > NTLM Server
Policy/ServerPolicy/ ServerPolicy	—	GET, POST, PUT, DELETE	Policy > Server Policy > Server Policy
Policy/ServerPolicy/ ServerPolicyEnable	—	PUT	Policy > Server Policy > Server Policy
Policy/WebProtection Profile/ InlineProtectionProfile	—	GET, POST, PUT, DELETE	Policy > Web Protection Profile > Inline Protection Profile
Policy/ WebProtectionProfile/ OfflineProtectionProfile	—	GET, POST, PUT, DELETE	Policy > Web Protection Profile > Offline Protection Profile
Policy/ WebProtectionProfile/ DbFileExists	—	GET	
ServerObjects/ Server/VirtualServer	—	GET, POST, PUT, DELETE	Server Objects > Server > Virtual Server
ServerObjects/Server/ VirtualServerPortList	—	GET	Server Objects > Server > Virtual Server
ServerObjects/ Server/ServerPool	—	GET, POST, PUT, DELETE	Server Objects > Server > Server Pool
—	EditServerPoolRule	GET, POST, PUT, DELETE	Server Objects > Server > Server Pool
ServerObjects/ Server/ServerPoolList	—	GET	Server Objects > Server > Server Pool

Resource name	Sub-resource name	Supported methods	Web UI location
ServerObjects/ Server/Persistence	—	GET, POST, PUT, DELETE	Server Objects > Server > Persistence Policy
ServerObjects/ Server/PersistenceList	—	GET	Server Objects > Server > Persistence Policy
ServerObjects/Server/ HTTPContentRoutingPolicy	—	GET, POST, PUT, DELETE	Server Objects > Server > HTTP Content Routing Policy
—	HTTPContentRouting PolicyNewHTTPContent Routing	GET, POST, PUT, DELETE	Server Objects > Server > HTTP Content Routing Policy
ServerObjects/ ProtectedHostnames/ ProtectedHostnames	—	GET, POST, PUT, DELETE	Server Objects > Protected Hostnames > Protected Hostnames
—	ProtectedHostnames NewHost	GET, POST, PUT, DELETE	Server Objects > Protected Hostnames > Protected Hostnames
ServerObjects/ ProtectedHostnames/ ProtectedHostnamesNewHostList	—	GET	Server Objects > Protected Hostnames > Protected Hostnames
ServerObjects/ ProtectedHostnames/ HostList	—	GET	Server Objects > Protected Hostnames > Protected Hostnames
ServerObjects/ Service/ HttpServiceList	—	GET	

Resource name	Sub-resource name	Supported methods	Web UI location
ServerObjects/ ServerHealthCheck/ ServerHealthCheck	—	GET, POST, PUT, DELETE	Server Objects > Server Health Check > Server Health Check
—	HealthCheckRule	GET, POST, PUT, DELETE	Server Objects > Server Health Check > Server Health Check
ServerObjects/ ServerHealthCheck/ ServerHealthCheckList	—	GET	Server Objects > Server Health Check > Server Health Check
ServerObjects/Service/ Custom	—	GET, POST, PUT, DELETE	Server Objects > Service > Custom
ServerObjects/Global/ KnownSearchEngines	—	GET, PUT	Server Objects > Global > Known Search Engines
ServerObjects/Global/ PredefinedGlobal WhiteList	—	GET, PUT	Server Objects > Global > Predefined Global White List
ServerObjects/Global/ CustomGlobalWhiteList	—	GET, PUT	Server Objects > Global > Custom Global White List
ServerObjects/ X-Forwarded-For/ X-Forwarded-For	—	GET, POST, PUT, DELETE	Server Objects > X- Forward-For
—	XForwardedFor NewXForwardedForIP	GET, POST, PUT, DELETE	Server Objects > X- Forward-For
ApplicationDelivery/ URLRewritingPolicy/ URLRewritingPolicy	—	GET, POST, PUT, DELETE	Application Delivery > URL Rewriting Policy > URL Rewriting Policy
—	URLRewritingPolicy NewURLRewritingItem	GET, POST, PUT, DELETE	Application Delivery > URL Rewriting Policy > URL Rewriting Policy

Resource name	Sub-resource name	Supported methods	Web UI location
ApplicationDelivery/ URLRewritingPolicy/ URLRewritingRule	—	GET, POST, PUT, DELETE	Application Delivery > URL Rewriting Policy > URL Rewriting Rule
—	URLRewritingRule NewURLRewriting Condition	GET, POST, PUT, DELETE	Application Delivery > URL Rewriting Policy > URL Rewriting Rule
ApplicationDelivery/ URLRewritingPolicy/ URLRewritingRuleList	—	GET	Application Delivery > URL Rewriting Policy > URL Rewriting Rule
ApplicationDelivery/ AuthenticationPolicy/ AuthenticationPolicy	—	GET, POST, PUT, DELETE	Application Delivery > Authentication Policy > Authentication Policy
—	AuthenticationPolicy NewAuthentication PolicyMember	GET, POST, PUT, DELETE	Application Delivery > Authentication Policy > Authentication Policy
ApplicationDelivery/ AuthenticationPolicy/ AuthenticationRule	—	GET, POST, PUT, DELETE	Application Delivery > Authentication Policy > Authentication Rule
—	AuthenticationRule NewAuthentication RuleMember	GET, POST, PUT, DELETE	Application Delivery > Authentication Policy > Authentication Rule
ApplicationDelivery/ AuthenticationPolicy/ AuthenticationRuleList	—	GET	Application Delivery > Authentication Policy > Authentication Rule
ApplicationDelivery/ SitePublish/ SitePublishPolicy	—	GET, POST, PUT, DELETE	Application Delivery > Site Publish > Site Publish Policy
—	SitePublishPolicy NewPublishedSiteRule	GET, POST, PUT, DELETE	Application Delivery > Site Publish > Site Publish Policy

Resource name	Sub-resource name	Supported methods	Web UI location
ApplicationDelivery/ SitePublish/ SitePublishRule	—	GET, POST, PUT, DELETE	Application Delivery > Site Publish > Site Publish Rule
ApplicationDelivery/ SitePublish/ SitePublishRuleList	—	GET	Application Delivery > Site Publish > Site Publish Rule
ApplicationDelivery/ SitePublish/ SitePublishRuleStatus	—	POST, PUT	Application Delivery > Site Publish > Site Publish Rule
ApplicationDelivery/ SitePublish/ KeytabFile	—	GET, POST, PUT, DELETE	Application Delivery > Site Publish > Keytab File
ApplicationDelivery/ SitePublish/ KeytabFileList	—	GET	Application Delivery > Site Publish > Keytab File
ApplicationDelivery/ SitePublish/ ImportKeytabFile	—	POST	Application Delivery > Site Publish > Keytab File
ApplicationDelivery/ Compression/ FileCompressPolicy	—	GET, POST, PUT, DELETE	Application Delivery > Compression > File Compress Policy
—	FileCompressPolicy NewFileCompressPolicy	GET, POST, PUT, DELETE	Application Delivery > Compression > File Compress Policy
ApplicationDelivery/ Compression/ FileUncompressPolicy	—	GET, POST, PUT, DELETE	Application Delivery > Compression > File Uncompress Policy
—	FileUncompressPolicy EditContentType	GET, POST, PUT, DELETE	Application Delivery > Compression > File Uncompress Policy
ApplicationDelivery/ Compression/ ExclusionRule	—	GET, POST, PUT, DELETE	Application Delivery > Compression > Exclusion Rule

Resource name	Sub-resource name	Supported methods	Web UI location
---	ExclusionRuleNewURL	GET, POST, PUT, DELETE	Application Delivery > Compression > Exclusion Rule
ApplicationDelivery/Compression/ExclusionRuleList	---	GET	Application Delivery > Compression > Exclusion Rule
ApplicationDelivery/Caching/WebCachePolicy	---	GET, POST, PUT, DELETE	Application Delivery > Caching > Web Cache Policy
---	WebCachePolicyNewWebCachePolicyItemRule	GET, POST, PUT, DELETE	Application Delivery > Caching > Web Cache Policy
ApplicationDelivery/Caching/WebCacheException	---	GET, POST, PUT, DELETE	Application Delivery > Caching > Web Cache Exception
---	WebCacheExceptionNewWebCacheExceptionRule	GET, POST, PUT, DELETE	Application Delivery > Caching > Web Cache Exception
ApplicationDelivery/Caching/WebCacheExceptionList	---	GET	Application Delivery > Caching > Web Cache Exception
WebProtection/KnownAttacks/Signatures	---	GET, POST, PUT, DELETE	Web Protection > Known Attacks > Signatures
WebProtection/KnownAttacks/AttacksSignaturesAdvanced	Dictionaries	GET, POST	Web Protection > Known Attacks > Signatures
---	SignatureAlertOnly	GET	Web Protection > Known Attacks > Signatures
---	AttacksSignaturesAdvancedSetting	GET	Web Protection > Known Attacks > Signatures
---	SignatureDisabled	GET, POST, PUT, DELETE	Web Protection > Known Attacks > Signatures

Resource name	Sub-resource name	Supported methods	Web UI location
---	SignatureAlertOnly	GET, POST, PUT, DELETE	Web Protection > Known Attacks > Signatures
---	SignatureSearch	GET, POST	Web Protection > Known Attacks > Signatures
WebProtection/ KnownAttacks/ CustomSignatureGroup	---	GET, POST, PUT, DELETE	Web Protection > Known Attacks > Custom Signature Group
---	CustomSignatureGroup NewProtectionGroup Member	GET, POST, PUT, DELETE	Web Protection > Known Attacks > Custom Signature Group
WebProtection/ KnownAttacks/ CustomSignatureGroupList	---	GET	Web Protection > Known Attacks > Custom Signature Group
WebProtection/ KnownAttacks/ CustomSignature	---	GET, POST, PUT, DELETE	Web Protection > Known Attacks > Custom Signature
---	CustomSignatureTarget	GET, POST, PUT, DELETE	Web Protection > Known Attacks > Custom Signature
WebProtection/ KnownAttacks/ CustomSignatureList	---	GET	Web Protection > Known Attacks > Custom Signature
WebProtection/ AdvancedProtection/ CustomPolicy	---	GET, POST, PUT, DELETE	Web Protection > Advanced Protection > Custom Policy
---	CustomPolicyNewCustom AccessItem	GET, POST, PUT, DELETE	Web Protection > Advanced Protection > Custom Policy
WebProtection/ AdvancedProtection/ CustomRule	---	GET, POST, PUT, DELETE	Web Protection > Advanced Protection > Custom Rule

Resource name	Sub-resource name	Supported methods	Web UI location
_____	CustomRuleNewCustomAccessRule	GET, POST, PUT, DELETE	Web Protection > Advanced Protection > Custom Rule
WebProtection/AdvancedProtection/CustomRuleList	_____	GET	Web Protection > Advanced Protection > Custom Rule
WebProtection/AdvancedProtection/ContentTypeList	_____	GET	Web Protection > Advanced Protection > Custom Rule
WebProtection/AdvancedProtection/PaddingOracleProtection	_____	GET, POST, PUT, DELETE	Web Protection > Advanced Protection > Padding Oracle Protection
_____	NewPaddingItem	GET, POST, PUT, DELETE	Web Protection > Advanced Protection > Padding Oracle Protection
WebProtection/InputValidation/ParameterValidationPolicy	_____	GET, POST, PUT, DELETE	Web Protection > Input Validation > Parameter Validation Policy
_____	ParameterValidationPolicyNewParameterValidationRule	GET, POST, PUT, DELETE	Web Protection > Input Validation > Parameter Validation Policy
WebProtection/InputValidation/ParameterValidationRule	_____	GET, POST, PUT, DELETE	Web Protection > Input Validation > Parameter Validation Rule
_____	ParameterValidationRuleNewRule	GET, POST, PUT, DELETE	Web Protection > Input Validation > Parameter Validation Rule
WebProtection/InputValidation/HiddenFieldsPolicy	_____	GET, POST, PUT, DELETE	Web Protection > Input Validation > Hidden Fields Policy

Resource name	Sub-resource name	Supported methods	Web UI location
_____	HiddenFieldsPolicy CreateHiddenFieldsRule	GET, POST, PUT, DELETE	Web Protection > Input Validation > Hidden Fields Policy
WebProtection/InputValidation/ HiddenFieldsRule	_____	GET, POST, PUT, DELETE	Web Protection > Input Validation > Hidden Fields Rule
_____	PostURL	GET, POST, PUT, DELETE	Web Protection > Input Validation > Hidden Fields Rule
_____	Fields	GET, POST, PUT, DELETE	Web Protection > Input Validation > Hidden Fields Rule
WebProtection/InputValidation/ HiddenFieldsRuleList	_____	GET	Web Protection > Input Validation > Hidden Fields Rule
WebProtection/ InputValidation/ FileUploadRestriction Policy	_____	GET, POST, PUT, DELETE	Web Protection > Input Validation > File Upload Restriction Policy
_____	FileUploadRestriction PolicyNewFileUpload RestrictionPolicy	GET, POST, PUT, DELETE	Web Protection > Input Validation > File Upload Restriction Policy
WebProtection/ InputValidation/ FileUploadRestrictionRule	_____	GET, POST, PUT, DELETE	Web Protection > Input Validation > File Upload Restriction Rule
_____	FileUploadRestriction RuleItem	GET, POST, PUT, DELETE	Web Protection > Input Validation > File Upload Restriction Rule
WebProtection/Protocol/ HTTPProtocolConstraints	_____	GET, POST, PUT, DELETE	Web Protection > Protocol > HTTP Protocol Constraints
WebProtection/Protocol/ HTTPConstraintsException	_____	GET, POST, PUT, DELETE	Web Protection > Protocol > HTTP Constraints Exception

Resource name	Sub-resource name	Supported methods	Web UI location
—	HTTPConstraints ExceptionNewHTTP ConstraintsException Rule	GET, POST, PUT, DELETE	Web Protection > Protocol > HTTP Constraints Exception
WebProtection/Access/ BruteForce	—	GET, POST, PUT, DELETE	Web Protection > Access > Brute Force
—	BruteForceNewLoginPage	GET, POST, PUT, DELETE	Web Protection > Access > Brute Force
WebProtection/Access/ URLAccessPolicy	—	GET, POST, PUT, DELETE	Web Protection > Access > URL Access Policy
—	URLAccessPolicyNew URLAccessItem	GET, POST, PUT, DELETE	Web Protection > Access > URL Access Policy
WebProtection/Access/ URLAccessRule	—	GET, POST, PUT, DELETE	Web Protection > Access > URL Access Rule
—	URLAccessRuleNew URLAccessCondition	GET, POST, PUT, DELETE	Web Protection > Access > URL Access Rule
WebProtection/Access/ URLAccessRuleList	—	GET	Web Protection > Access > URL Access Rule
WebProtection/Access/ PageAccess	—	GET, POST, PUT, DELETE	Web Protection > Access > Page Access
—	PageAccessNewRule	GET, POST, PUT, DELETE	Web Protection > Access > Page Access
WebProtection/Access/ StartPages	—	GET, POST, PUT, DELETE	Web Protection > Access > Start Pages

Resource name	Sub-resource name	Supported methods	Web UI location
---	StartPagesNewPage	GET, POST, PUT, DELETE	Web Protection > Access > Start Pages
WebProtection/Access/AllowMethodPolicy	---	GET, POST, PUT, DELETE	Web Protection > Access > Allow Method Policy
WebProtection/Access/AllowMethodExceptions	---	GET, POST, PUT, DELETE	Web Protection > Access > Allow Method Exceptions
---	AllowMethodExceptionsNewAllowMethodException	GET, POST, PUT, DELETE	Web Protection > Access > Allow Method Exceptions
WebProtection/Access/AllowMethodExceptionsList	---	GET	Web Protection > Access > Allow Method Exceptions
WebProtection/Access/IPList	---	GET, POST, PUT, DELETE	Web Protection > Access > IP List
---	IPListCreateIPListPolicyMember	GET, POST, PUT, DELETE	Web Protection > Access > IP List
WebProtection/Access/GeoIP	---	GET, POST, PUT, DELETE	Web Protection > Access > Geo IP
---	AddCountry	GET, POST, PUT, DELETE	Web Protection > Access > Geo IP
WebProtection/Access/GeoIPExceptionsList	---	GET	Web Protection > Access > Geo IP Exceptions
WebProtection/Access/SeverityList	---	GET	
WebProtection/WebAnti-Defacement/AntiDefacement	---	GET, POST, PUT, DELETE	Web Protection > Web Anti-Defacement > Anti Defacement

Resource name	Sub-resource name	Supported methods	Web UI location
WebProtection/ WebAnti-Defacement/ AntiDefacementBackupList	—	GET	Web Protection > Web Anti-Defacement > Anti Defacement
WebProtection/ WebAnti-Defacement/ AntiDefacementChangeList	—	GET	Web Protection > Web Anti-Defacement > Anti Defacement
WebProtection/ WebAnti-Defacement/ AntiDefacementTest	—	POST	Web Protection > Web Anti-Defacement > Anti Defacement
WebProtection/ WebAnti-Defacement/ AntiDefacementFileFilter	—	GET, POST, PUT, DELETE	Web Protection > Web Anti-Defacement > Anti Defacement File Filter
DoSProtection/ Application/ HTTPAccessLimit	—	GET, POST, PUT, DELETE	Dos Protection > Application > HTTP Access Limit
DoSProtection/ Application/ MaliciousIPs	—	GET, POST, PUT, DELETE	Dos Protection > Application > Malicious IPs
DoSProtection/ Application/ HTTPFloodPrevention	—	GET, POST, PUT, DELETE	Dos Protection > Application > HTTP Flood Prevention
DoSProtection/Network/ TCPFloodPrevention	—	GET, POST, PUT, DELETE	Dos Protection > Network > TCP Flood Prevention
DoSProtection/ DoSProtectionPolicy/ DoSProtectionPolicy	—	GET, POST, PUT, DELETE	Dos Protection > Dos Protection Policy > Dos Protection Policy
IPReputation/ IPReputation/Policy	—	GET, PUT	IP Reputation > IP Reputation > Policy
IPReputation/ IPReputation/Exceptions	—	GET, POST, PUT, DELETE	IP Reputation > IP Reputation > Exception

Resource name	Sub-resource name	Supported methods	Web UI location
AutoLearn/ AutoLearnProfile/ AutoLearnProfile	—	GET, POST, PUT, DELETE	Auto Learn > Auto Learn Profile > Auto Learn Profile
AutoLearn/ AutoLearnReport/ AutoLearnReport	—	GET, POST, PUT, DELETE	Auto Learn > Auto Learn Report > Auto Learn Report
	Dictionaries	GET	Auto Learn > Auto Learn Report > Auto Learn Report
	Getnode	GET	Auto Learn > Auto Learn Report > Auto Learn Report
	Domain	GET, POST, PUT	Auto Learn > Auto Learn Report > Auto Learn Report
	GeneratePDF	GET	Auto Learn > Auto Learn Report > Auto Learn Report
	SubAttack	GET, POST, PUT	Auto Learn > Auto Learn Report > Auto Learn Report
	UrlPage	POST, PUT	Auto Learn > Auto Learn Report > Auto Learn Report
	ParamChange	POST, PUT	Auto Learn > Auto Learn Report > Auto Learn Report
	AccessChange	POST, PUT	Auto Learn > Auto Learn Report > Auto Learn Report
	generateConfig	POST, PUT	Auto Learn > Auto Learn Report > Auto Learn Report
	AttackChange	POST, PUT	Auto Learn > Auto Learn Report > Auto Learn Report

Resource name	Sub-resource name	Supported methods	Web UI location
AutoLearn/ AutoLearnProfile/ AutoLearnChart	—	GET	Auto Learn > Auto Learn Profile > Auto Learn Profile
AutoLearn/ PredefinedPattern/ DataTypeGroup	—	GET, POST, PUT, DELETE	Auto Learn > Predefined Pattern > Data Type Group
AutoLearn/ PredefinedPattern/ DataTypeGroupList	—	GET	Auto Learn > Predefined Pattern > Data Type Group
AutoLearn/ PredefinedPattern/ DataType	—	GET	Auto Learn > Predefined Pattern > Data Type
AutoLearn/ PredefinedPattern/ DataTypeList	—	GET	Auto Learn > Predefined Pattern > Data Type
AutoLearn/ PredefinedPattern/ URLPattern	—	GET	Auto Learn > Predefined Pattern > URL Pattern
AutoLearn/ PredefinedPattern/ SuspiciousURL	—	GET, POST, PUT, DELETE	Auto Learn > Predefined Pattern > Suspicious URL
AutoLearn/ PredefinedPattern/ SuspiciousURLList	—	GET	Auto Learn > Predefined Pattern > Suspicious URL
AutoLearn/ CustomPattern/DataType	—	GET, POST, PUT, DELETE	Auto Learn > Custom Pattern > Data Type
AutoLearn/ CustomPattern/ CustomDataTypeList	—	GET	Auto Learn > Custom Pattern > Data Type
AutoLearn/ CustomPattern/ SuspiciousURLPolicy	—	GET, POST, PUT, DELETE	Auto Learn > Custom Pattern > Suspicious URL Policy

Resource name	Sub-resource name	Supported methods	Web UI location
---	SuspiciousURLPolicy EditSuspicious URLRule	GET, POST, PUT, DELETE	Auto Learn > Custom Pattern > Suspicious URL Policy
AutoLearn/ CustomPattern/ SuspiciousURLPolicyList	---	GET	Auto Learn > Custom Pattern > Suspicious URL Policy
AutoLearn/ CustomPattern/ SuspiciousURLRule	---	GET, POST, PUT, DELETE	Auto Learn > Custom Pattern > Suspicious URL Rule
AutoLearn/ CustomPattern/ SuspiciousURLRuleList	---	GET	Auto Learn > Custom Pattern > Suspicious URL Policy
AutoLearn/ ApplicationTemplates/ ApplicationPolicy	---	GET, POST, PUT, DELETE	Auto Learn > Application Template > Application Policy
---	ApplicationPolicy NewApplicationRule	GET, POST, PUT, DELETE	Auto Learn > Application Template > Application Policy
AutoLearn/ ApplicationTemplates/ ApplicationPolicyList	---	GET	Auto Learn > Application Template > Application Policy
AutoLearn/ ApplicationTemplates/ URLReplacer	---	GET, POST, PUT, DELETE	Auto Learn > Application Template > URL Replacer
AutoLearn/ ApplicationTemplates/ URLReplacerList	---	GET	Auto Learn > Application Template > URL Replacer

Resource name	Sub-resource name	Supported methods	Web UI location
WebVulnerabilityScan/ WebVulnerabilityScan/ WebVulnerability ScanPolicy	—	GET, POST, PUT, DELETE	Web Vulnerability Scan > Web Vulnerability Scan > Web Vulnerability Scan Policy
WebVulnerabilityScan/ WebVulnerabilityScan/ WebVulnerability ScanProfile	—	GET, POST, PUT, DELETE	Web Vulnerability Scan > Web Vulnerability Scan > Web Vulnerability Scan Profile
WebVulnerabilityScan/ WebVulnerabilityScan/ WebVulnerabilityScan Schedule	—	GET, POST, PUT, DELETE	Web Vulnerability Scan > Web Vulnerability Scan > Web Vulnerability Scan Schedule
WebVulnerabilityScan/ WebVulnerabilityScan/ ScanHistory	—	GET, POST, PUT, DELETE	Web Vulnerability Scan > Web Vulnerability Scan > Scan History
LogReport/LogPolicy/ EmailPolicy	—	GET, POST, PUT, DELETE	Log & Report > Log Policy > Email Policy
LogReport/LogPolicy/ AlertMailList	—	GET	Log & Report > Log Policy > Email Policy
LogReport/LogPolicy/ SyslogPolicy	—	GET, POST, PUT, DELETE	Log & Report > Log Policy > Syslog Policy
—	SyslogServer	GET, POST, PUT, DELETE	Log & Report > Log Policy > Syslog Policy
LogReport/LogPolicy/ SIEMPolicy	—	GET, POST, PUT, DELETE	Log & Report > Log Policy > SIEM Policy
LogReport/LogPolicy/ FortiAnalyzerPolicy	—	GET, POST, PUT, DELETE	Log & Report > Log Policy > FortiAnalyzer Policy

Resource name	Sub-resource name	Supported methods	Web UI location
LogReport/LogPolicy/TriggerPolicy	—	GET, POST, PUT, DELETE	Log & Report > Log Policy > Trigger Policy
LogReport/LogPolicy/TriggerList	—	GET	Log & Report > Log Policy > Trigger Policy
LogReport/LogConfig/GlobalLogSettings	—	GET, PUT	Log & Report > Log Config > Global Log Settings
LogReport/LogConfig/OtherLogSettings	—	GET, PUT	Log & Report > Log Config > Other Log Settings
LogReport/LogConfig/SensitiveDataLogging	—	GET, POST, PUT, DELETE	Log & Report > Log Config > Sensitive Data Logging
LogReport/LogConfig/SensitiveDataLoggingRuleType	—	GET, POST, PUT, DELETE	Log & Report > Log Config > Sensitive Data Logging
LogReport/LogAccess/Event?offset=0&size=30 Cookie: LogName=elog.log Parameters: offset – Start line ID size – Total number of lines on each page	—	GET	Log & Report > Log Access > Event
LogReport/LogAccess/Attack?offset=0&size=30 Cookie: LogName=alog.log Parameters: offset – Start line ID size – Total number of lines on each page	—	GET	Log & Report > Log Access > Attack
LogReport/LogAccess/LogAccessAttackDetail	—	GET	Log & Report > Log Access > Attack

Resource name	Sub-resource name	Supported methods	Web UI location
LogReport/LogAccess/ AggregatedAttack? day=3 ¤tPage=1 &startLine=0 Cookie: LogName=aalog.log Parameters: day – Number of days on each page currentPage – Number of page to display startLine – Start line number	—	GET	Log & Report > Log Access > Aggregated Attack
LogReport/LogAccess/ Traffic?offset= 0&size=30 Cookie: LogName=tlog.log Parameters: offset – Start line ID size – Total number of lines on each page	—	GET	Log & Report > Log Access > Traffic
LogReport/LogAccess/ LogAccessTrafficDetail	—	GET	Log & Report > Log Access > Traffic
LogReport/LogAccess/ LogDownload	—	GET	
LogReport/LogAccess/ LogManagement	—	GET, DELETE	
LogReport/LogAccess/ LogAccessEventPermission	—	GET	Log & Report > Log Access > Download
LogReport/LogAccess/ Download	—	GET	Log & Report > Log Access > Download
LogReport/LogAccess/ DownloadFile	—	GET	Log & Report > Log Access > Download

Resource name	Sub-resource name	Supported methods	Web UI location
LogReport/ReportConfig/ ReportConfig	—	GET, POST, PUT, DELETE	Log & Report > Report Config > Report Config
LogReport/ReportConfig/ ReportConfig	—	GET, POST, PUT, DELETE	Log & Report > Report Config > Report Config
LogReport/ReportConfig/ ReportConfigCustomLogoList	—	GET	Log & Report > Report Config > Report Config
LogReport/ReportConfig/ ReportConfigLogoUpload	—	POST	Log & Report > Report Config > Report Config
LogReport/ReportBrowse/ ReportBrowse	—	GET	Log & Report > Report Browse > Report Browse
LogReport/Monitor/ data_analytics	—	GET	Log & Report > Monitor > Data Analytics
—	time_trend	GET	Log & Report > Monitor > Data Analytics
—	type_view	GET	Log & Report > Monitor > Data Analytics
—	data_view	GET	Log & Report > Monitor > Data Analytics
—	attack	GET	Log & Report > Monitor > Data Analytics
LogReport/Monitor/ DataAnalyticsPermission	—	GET	Log & Report > Monitor > Data Analytics
LogReport/Monitor/ BotAnalysis	—	GET	Log & Report > Monitor > Bot Analysis

Resource name	Sub-resource name	Supported methods	Web UI location
LogReport/Monitor/ BlockedIPs	—	GET	Log & Report > Monitor > Blocked IPs

Examples of changing settings

Retrieve all static routes (GET)

Command

```
curl -H "Authorization: YWRtaW46" -k
  "https://172.22.10.74:90/api/v1.0/System/Network/StaticRoute"
```

Request header

```
GET https://172.22.10.74:90/api/v1.0/System/Network/StaticRoute HTTP/1.1
User-Agent: Fiddler
Authorization: YWRtaW46
Host: 172.22.10.74:90
```

Response

```
HTTP/1.1 200 OK
Server: openresty/1.5.8.1
Date: Thu, 14 Aug 2014 17:03:34 GMT
Content-Type: application/json
Connection: keep-alive
Content-Length: 115

[
  {
    "_id": 1,
    "id": 1,
    "destinationIpMask": "0.0.0.0/0",
    "gateway": "172.22.10.1",
    "interface": port1
  }
]
```

Create a new static route (POST)

Command

```
curl -X POST -H "Authorization: YWRtaW46" -H "ContentType: application/json" -k -d '
  {"destinationIpMask": "0.0.0.0/0","gateway": "172.22.10.1","interface": "port1"}'
  "https://172.22.10.74:90/api/v1.0/System/Network/StaticRoute"
```

Request header

```
POST https://172.22.10.74:90/api/v1.0/System/Network/StaticRoute HTTP/1.1
User-Agent: Fiddler
Authorization: YWRtaW46
Host: 172.22.10.74:90
Content-Length: 92
```

```
{
  "destinationIpMask": "0.0.0.0/0",
  "gateway": "172.22.10.1",
  "interface": port1
}
```

Response

```
HTTP/1.1 200 OK
Server: openresty/1.5.8.1
Date: Thu, 14 Aug 2014 17:05:11 GMT
Content-Type: application/json
Connection: keep-alive
Content-Length: 94
```

```
{
  "destinationIpMask": "0.0.0.0/0",
  "gateway": "172.22.10.1",
  "interface": port1,
  "_id": 1
}
```

Update an existing static route (PUT)

Command

```
curl -X PUT -H "Authorization: YWRtaW46" -H "ContentType: application/json" -k -d '{"_id":
  "1","destinationIpMask": "0.0.0.0/0","gateway": "172.22.10.2","interface": "port1"}'
  "https://172.22.10.74:90/api/v1.0/System/Network/StaticRoute/1"
```

Request header

```
PUT https://172.22.10.74:90/api/v1.0/System/Network/StaticRoute/1 HTTP/1.1
User-Agent: Fiddler
Authorization: YWRtaW46
Host: 172.22.10.74:90
Content-Length: 92
```

```
{
  "destinationIpMask": "0.0.0.0/0",
  "gateway": "172.22.10.2",
  "interface": port1
}
```

Response

```
HTTP/1.1 200 OK
Server: openresty/1.5.8.1
Date: Thu, 14 Aug 2014 17:05:41 GMT
Content-Type: application/json
Connection: keep-alive
Content-Length: 94
```

```
{
  "destinationIpMask": "0.0.0.0/0",
  "gateway": "172.22.10.2",
  "interface": port1,
  "_id": 2
}
```

Delete an existing static route (DELETE)

Command

```
curl -k -X DELETE -H "Authorization: YWRtaW46"
  "https://172.22.10.74:90/api/v1.0/System/Network/StaticRoute/1"
```

Request header

```
DELETE https://172.22.10.74:90/api/v1.0/System/Network/StaticRoute/1 HTTP/1.1
User-Agent: Fiddler
Authorization: YWRtaW46
Host: 172.22.10.74:90
```

Response

```
HTTP/1.1 200 OK
Server: openresty/1.5.8.1
Date: Thu, 14 Aug 2014 17:06:51 GMT
Content-Type: application/json
Connection: keep-alive
Content-Length: 18
```

```
{
  "affected": 1
}
```

Request failures

Unsupported method

If a request fails because the method is unsupported, the HTTP response code is 405 (Not Allowed).

For example:

Command

```
curl -k -H "Authorization: YWRtaW46"  
"https://172.22.10.74:90/api/v1.0/System/Maintenance/RestoreConfiguration"
```

Request header

```
GET https://172.22.10.74:90/api/v1.0/System/Maintenance/RestoreConfiguration HTTP/1.1  
User-Agent: Fiddler  
Authorization: YWRtaW46  
Host: 172.22.10.74:90
```

Response

```
HTTP/1.1 405 Not Allowed  
Server: openresty/1.5.8.1  
Date: Thu, 14 Aug 2014 17:08:25 GMT  
Content-Type: text/html  
Content-Length: 178  
Connection: keep-alive  
  
<html>  
<head><title>405 Not Allowed</title></head>  
<body bgcolor="white">  
<center><h1>405 Not Allowed</h1></center>  
<hr><center>openresty/1.5.8.1</center>  
</body>  
</html>
```

Other failure

If a RESTful API request fails for any other reason, the response contains the application error code and the HTTP response code 500 (Internal Server Error).

For example:

Command

```
curl -X POST -H "Authorization: YWRtaW46" -H "ContentType: application/json" -k -d '  
{ "destinationIpMask": "0.0.0.0/0", "gateway": "172.22.10.3", "interface": "port1" }'  
"https://172.22.10.74:90/api/v1.0/System/Network/StaticRoute"
```

Request header

```
POST https://172.22.10.74:90/api/v1.0/System/Network/StaticRoute HTTP/1.1  
User-Agent: Fiddler  
Authorization: YWRtaW46  
Host: 172.22.10.74:90  
Content-Length: 92  
  
{  
  "destinationIpMask": "0.0.0.0/0",  
  "gateway": "172.22.10.3",  
  "interface": port1  
}
```

Response

```
HTTP/1.1 500 Internal Server Error
Server: openresty/1.5.8.1
Date: Thu, 14 Aug 2014 17:07:34 GMT
Content-Type: application/json
Transfer-Encoding: chunked
Connection: keep-alive
```

```
{
  "destinationIpMask": "0.0.0.0/0",
  "gateway": "172.22.10.3",
  "interface": port1,
  "msg": "Duplicate IP address"
}
```




Copyright© 2016 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., in the U.S. and other jurisdictions, and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. In no event does Fortinet make any commitment related to future deliverables, features, or development, and circumstances may change such that any forward-looking statements herein are not accurate. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.